
Bouticcelli


Stella 67 / BT063

Technical Drawings

Dimensions and Specifications



Top View



Front View

Whirlpool Bath

Massage Jets

Comfortable Seat

Integrated Controls

LED Lighting

Temperature Control

2 YEARS
2-Year Warranty

Bouticcelli.com

Bouticcelli

Stella 67 / BT063

Retractable Skirt Panel



Retractable Skirt Panel

This bathtub is delivered with an L-shaped skirt panel that covers two sides. If you would like to cover another side, please contact our customer service at **info@bouticcelli.com**.

Installation and Removal of the Skirt Panel

The skirt panel is fixed to the bathtub using clamping brackets on the top and support screws on the bottom.

To Remove:

1. Start by unscrewing the screws with white caps located at the bottom.
2. Loosen the side clamping brackets.
3. Gently remove the skirt panel.

To Install:

1. Place the skirt panel on the clamping brackets.
2. Tighten the clamping brackets.
3. Insert the bottom screws.
4. Put the white caps back on.

Easy Installation | Secure Mounting | Integrated Design


Bouticcelli.com

Bouticcelli

Stella 67 / BT063

Recommended Pre-Installation

Dimensions and Connections



1x GFCI electrical outlet 110v/120v

2x Hot/cold water outlets 1/2 inch

1x Drain outlet 1 1/2 inch

Electrical



- Provide 2 metres (6.5 ft) of cable including the phase (hot), neutral and ground conductors.

Or

- Power supply 110–120 V / 20 A, protected by a GFCI circuit breaker.

Plumbing



- Hot and cold water: provide 2 flexible hoses with 1/2 inch female fittings.
- Provide a 1 1/2 inch drain to connect the drain hose supplied with the unit.

GFCI Outlet 110v/120v

Hot/Cold Water Outlet 1/2″

Drain 1 1/2″

Accurate Dimensions

Easy Installation

Secure Connections

Bouticcelli.com